





PARTS LIST



MTP005KW / 008HP


REV 250301 15



HYDRAULIC END

HH

HV



POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
100	Handle	Electro-polished 316 Stainless Steel (Incl 101)		05-0100-9910	1	1
102	Hex screw	316 Stainless Steel A4-70 DIN933	M12-1.75 x 20.0mm	05-0102-9910	2	2
103	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	2	2
104	Handle spacer	316 Stainless Steel UNS S31600	12.7mm x 15.8mm x 9.25mm	05-0104-9910	2	2
200	Power cable	Type 2S individually screened trailing	3G2.5mm+3x1mm 17.8mmOD 27A<30degC>20A<50degC	05-0200-0210	15-20	15-20
		Type 241.1 overall screened mining	06.0mm x 3+E+P 29.2mmOD 49A<40degC>38A<50degC	05-0200-0112	15-20	15-20
		Type H07RNF unscreened submersible	4G2.5mm+2x1.5mm 14.3mmOD 27A<40degC>24A<50degC	05-0200-0330	15-20	15-20
		Type SOOW EPR unscreened mining	AWG12x4+E 17.78mmOD 16A	05-0200-1220	15-20	15-20
	Cable kit	Type 241.1 overall screened mining	15m x 06.0x3+E+P c/w NewMacey plug 060A 660V	05-0200-1421 AU Std	1	1
			15m x 06.0x3+E+P c/w NewMacey plug 060A 1100V	05-0200-1422 AU Std	1	1
201	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	2	2
202	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	2	2
203	Stud	316 Stainless Steel UNS S31600	M12-1.75 x 45.0mm saddle 15/6/24mm	05-0203-1045	2	2
204	Cable entry	42100-T6 Aluminium alloy EN1706	18/35mm cable OD	05-0204-9940	1	1
205	Cap screw	316 Stainless Steel A4-70 DIN912	M5-0.8 x 40.0mm shank 14.0mm	05-0205-9910	2	2
206	Cable clamp	316 Stainless Steel UNS S31600	M5-0.8 x 30.0mm shank 4.0mm	05-0205-9911 AU Std	2	2
			Up to 17.8mm cable diameter	05-0206-9910	2	2
207	Nyloc nut	316 Stainless Steel + Nylon N022 DIN985	Up to 35.0mm cable diameter	05-0206-9911 AU Std	2	2
208	Cable washer	316 Stainless Steel UNS S31600	M5-0.8	05-0207-9910	2	2
			16.5mm x 52.0mm x 2.0mm (14-16Ø)	05-0208-1165	2	2
			18.5mm x 52.0mm x 2.0mm (16-18Ø)	05-0208-1185	2	2
			20.5mm x 52.0mm x 2.0mm (18-20Ø)	05-0208-1205	2	2
			22.5mm x 52.0mm x 2.0mm (20-22Ø)	05-0208-1225	2	2
			24.5mm x 52.0mm x 2.0mm (22-24Ø)	05-0208-1245	2	2
			26.5mm x 52.0mm x 2.0mm (24-26Ø)	05-0208-1265	2	2
			28.5mm x 52.0mm x 2.0mm (26-28Ø)	05-0208-1285	2	2
			30.5mm x 52.0mm x 2.0mm (28-30Ø)	05-0208-1305 AU Std	2	2
			32.5mm x 52.0mm x 2.0mm (30-32Ø)	05-0208-1325	2	2
			34.5mm x 52.0mm x 2.0mm (32-34Ø)	05-0208-1345	2	2
			35.3mm x 52.0mm x 2.0mm (33-35Ø)	05-0208-1355	2	2
			37.5mm x 52.0mm x 2.0mm (35-37Ø)	05-0208-1375	2	2
			39.0mm x 52.0mm x 2.0mm (37-39Ø)	05-0208-1390	2	2
			42.5mm x 52.0mm x 2.0mm (40-42Ø)	05-0208-1425	2	2
			14.0mm x 52.0mm x 22.0mm (12-14Ø)	05-0209-4140	1	1
			16.0mm x 52.0mm x 22.0mm (14-16Ø)	05-0209-4160	1	1
			18.0mm x 52.0mm x 22.0mm (16-18Ø)	05-0209-4180	1	1
			20.0mm x 52.0mm x 22.0mm (18-20Ø)	05-0209-4200	1	1
			22.0mm x 52.0mm x 22.0mm (20-22Ø)	05-0209-4220	1	1
			24.0mm x 52.0mm x 22.0mm (22-24Ø)	05-0209-4240	1	1
			26.0mm x 52.0mm x 22.0mm (24-26Ø)	05-0209-4260	1	1
			28.0mm x 52.0mm x 22.0mm (26-28Ø)	05-0209-4280	1	1
			30.0mm x 52.0mm x 22.0mm (28-30Ø)	05-0209-4300 AU Std	1	1
			32.0mm x 52.0mm x 22.0mm (30-32Ø)	05-0209-4320	1	1
			34.0mm x 52.0mm x 22.0mm (32-34Ø)	05-0209-4340	1	1
			35.0mm x 52.0mm x 22.0mm (33-35Ø)	05-0209-4350	1	1
			37.0mm x 52.0mm x 22.0mm (35-37Ø)	05-0209-4370	1	1
			39.0mm x 52.0mm x 22.0mm (37-39Ø)	05-0209-4390	1	1
			42.0mm x 52.0mm x 22.0mm (40-42Ø)	05-0209-4420	1	1
210	Junction box cover	42100-T6 Aluminium alloy EN1706		05-0210-9940	1	1
211	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 20.0mm	05-0211-9910	5	5
212	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	5	5
213	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 139.3mm	05-0213-4139	1	1
214	Drive screw	304 Stainless Steel UNS30400	4G x 1/4" u-drive	05-0214-9910	2	2
215	Data plate	316 Stainless Steel UNS S31600	48.0mm x 102.0mm x 0.9mm	05-0215-9910	1	1
216	Cable sock	Monofilament Nylon + SS Carabiner	1.6T 12x2-ply 08-14mm x 300mm + 80mm Carabiner	05-4150-9960	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
			1.6T 12x2-ply 15-20mm x 350mm + 100mm Carabiner	05-4151-9960	1	1
			2.7T 12x2-ply 21-30mm x 570mm + 130mm Carabiner	05-4152-9960	1	1
300	Outer casing	42100-T6 Aluminium alloy EN1706		05-0300-9940	1	1
301	Inspection plug	42100-T6 Aluminium alloy EN1706	M24 x 25.5 INS	05-0301-9940	2	2
			M24 x 25.5 OIL	05-0301-9941	1	1
302	Cap screw	316 Stainless Steel A4-70 DIN912	M8-1.25 x 35.0mm shank 7.0mm	05-0302-9910	8	8
303	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	8	8
400	Discharge connection	Powdercoated Steel	050mm (2") BSPP Female	05-0400-1400 AU Std	1	
			050mm (2") NPT Male	05-0400-1420	1	
			075mm (3") BSPP Female	05-0400-1500 AU Std		1
			075mm (3") NPT Male	05-0400-1520		1
401	Nut	316 Stainless Steel A4-70 DIN934	M10-1.5	05-0401-9910	2	2
402	Washer	316 Stainless Steel 100HV DIN125A	M10 x 20mm x 2.0mm	05-0402-9910	2	2
403	Stud	304 Stainless Steel UNS30400	M10-1.5 x 40.0mm saddle 12/3/25mm	05-0403-1040	2	2
404	Gasket	Aramid fibre with nitrile binder	90.0mm x 155.0mm x 3.0mm	05-0404-9902 AU Std	1	1
		NBR nitrile ASTM D2240	90.0mm x 155.0mm x 7.0mm	05-0404-9905	1	1
500	Upper bearing housing	42100-T6 Aluminium alloy EN1706		05-0500-9940	1	1
501	Compression gland	Polyamide VO UL94	2-hole 5.0mm core OD	05-0501-9962	1	1
502	Compression gland	Polyamide VO UL94	3-hole 5.6mm core OD	05-0502-9962	1	1
503	Terminal block assembly	(Inc 503.1-4)	110mm TS35 DIN rail mounted	05-0503-9900	1	1
503.5	Pan head screw	316 Stainless Steel A4-70 DIN7985	M5-0.8 x 10.0mm	05-0503-9915	2	2
503.6	Spring washer	316 Stainless Steel UNS S31600	M5	05-0503-9916	2	2
503.7	Diode		3A 1000V	05-0503-9907 AU Std	1	1
504	Hex screw	316 Stainless Steel A4-70 DIN933	M6-1.0mm x 25.0mm	05-0504-9910	4	4
505	Washer	316 Stainless Steel 100HV DIN125A	M6 x 12.0mm x 1.6mm	05-0505-9910	4	4
506	O-ring	NBR Rubber copolymer N7034AA	3.0mm x 104.5mm	05-0506-4104	1	1
600	Stator housing	42100-T6 Aluminium alloy EN1706		05-0600-9940	1	1
601	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 194.3mm	05-0601-4194	1	1
602	O-ring	NBR Rubber copolymer N7034AA	5.3mm x 37.47mm	05-0602-4038	1	1
603	Blanking plate	42100-T6 Aluminium alloy EN1706		05-0603-9940	1	1
604	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	2	2
605	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 25.0mm	05-0605-9910	2	2
606	Nut	316 Stainless Steel A4-70 DIN934	M10-1.5	05-0401-9910	4	4
607	Washer	316 Stainless Steel 100HV DIN125A	M10 x 20mm x 2.0mm	05-0402-9910	4	4
700	Stator (Incl in Motor Kit)	3-lead 2-pole	1000V Y	50Hz 05-0700-5000 AU Std	1	1
			380V D	50Hz 05-0700-5380	1	1
			400V D	50Hz 05-0700-5400	1	1
			415V D	50Hz 05-0700-5415 AU Std	1	1
			500V D	50Hz 05-0700-5500	1	1
			525V D	50Hz 05-0700-5525	1	1
			550V D	50Hz 05-0700-5550	1	1
			1000V Y	60Hz 05-0700-6000	1	1
			380V D	60Hz 05-0700-6380	1	1
			460V D	60Hz 05-0700-6460	1	1
			575V D	60Hz 05-0700-6575	1	1
			660V D	60Hz 05-0700-6660	1	1
701	O-ring	HNBR Rubber copolymer H7000AE	3.0mm x 52.0mm	05-0701-4052	1	1
702	Ball bearing	Grooved single row	6205-2RSH	05-0702-9910	1	1
703	Circlip	CK67 Carbon spring Steel	External D1400-0250 23.2mm x 1.2mm DIN471	05-0703-9910	1	1
704	Rotor unit complete (Incl in Motor Kit)	Duplex Stainless Steel SAF2205		05-0704-9910	1	1
705	Key	316 Stainless Steel UNS S31600	6.0mm x 6.0mm x 35.0mm	05-0705-9910	1	1
706	Hex screw	316 Stainless Steel A4-70 DIN933	M6-1.0 x 12.0mm	05-0706-9910	3	3
707	Bearing cover	42100-T6 Aluminium alloy EN1706		05-0707-9940	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
708	Circlip	CK67 Carbon spring Steel	External D1400-0250 23.2mm x 1.2mm DIN471	05-0703-9910	1	1
709	Washer	316 Stainless Steel 100HV DIN125A	25.4mm x 34.7mm x 2.0mm	05-0709-9910	1	1
710	Ball bearing	Angular contact double row	3305A-2RS1	05-0710-9910	1	1
711	Washer	316 Stainless Steel 100HV DIN125A	25.4mm x 34.7mm x 2.0mm	05-0709-9910	1	1
712	Circlip	CK67 Carbon spring Steel	External D1400-0250 23.2mm x 1.2mm DIN471	05-0703-9910	1	1
713	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 194.3mm	05-0601-4194	1	1
714	Parallel pin	316 Stainless Steel UNS S31600	2.0mm x 8.0mm	05-0714-9910	1	1
715	Lower bearing housing	42100-T6 Aluminium alloy EN1706 (Incl 714)		05-0715-9940	1	1
716	O-ring	NBR Rubber copolymer N7034AA	2.4mm x 10.3mm	05-0716-4010	3	3
717	Inspection screw	304 Stainless Steel UNS30400	M10-1.5 x 19.0mm special	05-0717-9940	3	3
718	Mechanical seal	Silicon carbide rotary + stationary + viton elastomers	22.0mm	05-0718-0110	1	1
		Silicon carbide rotary + Tungsten carbide stationary + viton elastomers	22.0mm	05-0718-0210 AU Std	1	1
		Tungsten carbide rotary + stationary + viton elastomers	22.0mm	05-0718-0310	1	1
719	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 199.3mm	05-0719-4199	1	1
720	Parallel pin	316 Stainless Steel UNS S31600	2.0mm x 8.0mm	05-0714-9910	1	1
721	Lower oil housing	42100-T6 Aluminium alloy EN1706 (Incl 720)		05-0721-9941	1	1
722	Cap screw	316 Stainless Steel A4-70 DIN912	M6-1.0 x 13.0mm shank 8.0mm	05-0722-9910	4	4
723	Mechanical seal	Silicon carbide rotary + stationary + viton elastomers	22.0mm	05-0718-0110	1	1
		Silicon carbide rotary + Tungsten carbide stationary + viton elastomers	22.0mm	05-0718-0210 AU Std	1	1
		Tungsten carbide rotary + stationary + viton elastomers	22.0mm	05-0718-0310	1	1
800	Diffuser	42100-T6 Aluminium alloy EN1706 + PU		05-0800-9141 05-0800-9241	1	1
801	Impeller	17/4PH Stainless Steel alloy	182.10mm OD	50Hz 05-0801-5110 AU Std	1	
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1		50Hz 05-0801-5130	1	
		17/4PH Stainless Steel alloy	139.30mm OD	50Hz 05-0801-5210 AU Std		1
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1		50Hz 05-0801-5230		1
		17/4PH Stainless Steel alloy	168.60mm OD	60Hz 05-0801-6110	1	
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1		60Hz 05-0801-6130	1	
		17/4PH Stainless Steel alloy	118.80mm OD	60Hz 05-0801-6210		1
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1		60Hz 05-0801-6230		1
802	Adjusting washer	316 Stainless Steel 200HV	0.3mm	05-0802-1300	6	6
			1.5mm	05-0802-1150	6	6
803	Impeller nut	304 Stainless Steel UNS30400	M12-1.75 x 8.0mm	05-0803-9910	1	1
804	Lock washer	316 Stainless Steel UNS S31600	13.6mm x 27.0mm x 2.0mm	05-0804-9910	1	1
805	Washer	316 Stainless Steel 100HV DIN125A	8.3mm x 35.0mm x 6.0mm	05-0805-9910	1	1
806	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 45.0mm	05-0806-9910	1	1
807	Suction cover	42100-T6 Aluminium alloy EN1706 + PU		05-0807-9141 05-0807-9241	1	1
808	Stud	304 Stainless Steel UNS30400	M10-1.5 x 40.0mm saddle 12/3/25mm	05-0403-1040	3	3
809	Half nut	316 Stainless Steel A4-70 DIN934	M10-1.5 x 5.0mm	05-0809-9910	3	3
810	Washer	316 Stainless Steel 100HV DIN125A	M10 x 20mm x 2.0mm	05-0402-9910	3	3
811	Nut	316 Stainless Steel A4-70 DIN934	M10-1.5	05-0401-9910	3	3
812	Stud	304 Stainless Steel UNS30400	M10-1.5 x 210.0mm saddle 83/55/72mm	05-0812-1210	4	4
813	Washer	316 Stainless Steel 100HV DIN125A	M10 x 20mm x 2.0mm	05-0402-9910	4	4
814	Extended nut	316 Stainless Steel UNS S31600	M10-1.5 x 26.0mm special	05-0814-9910	4	4
815	Washer	316 Stainless Steel 100HV DIN125A	M20 x 37.0mm x 3.0mm	05-0815-9910	4	4
816	Spring	316 Stainless Steel UNS S31600	32.0mm x 47.5mm x 7.0mm	05-0816-9910	4	4
817	Tube	304 Stainless Steel UNS30400	12.9mm x 17.0mm x 35.2mm special	05-0817-9910	4	4
818	Strainer	316 Stainless Steel UNS S31600		05-0818-9910	1	1
819	Washer	316 Stainless Steel 100HV DIN125A	M10 x 30.0mm x 2.5mm	05-0819-9910	4	4
820	Nyloc nut	316 Stainless Steel + Nylon N022 DIN985	M10-1.5	05-0820-9910	4	4
900	O-ring kit	(Incl: 213,404,506,601,602,701,713,716,719)	Max 40degC/104degF NBR Max 70degC/158degF Viton	05-0900-9902 AU Std 05-0900-9906	1	1
950	Fastener Kit			05-0950-9910	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
1000	Basic repair kit	(Incl: 702,710,718,723,900)	SIL rotary / SIL stationary / VIT elastomers SIL rotary / TUN stationary / VIT elastomers TUN rotary / TUN stationary / VIT elastomers	05-1000-0110 05-1000-0210 AU Std 05-1000-0310	1 1 1	1 1 1
1700	Motor kit	(Incl: 700,704)	1000V Y 50Hz 380V D 50Hz 400V D 50Hz 415V D 50Hz 500V D 50Hz 525V D 50Hz 550V D 50Hz 1000V Y 60Hz 380V D 60Hz 460V D 60Hz 575V D 60Hz 660V D 60Hz	05-1700-5000 AU Std 05-1700-5380 05-1700-5400 05-1700-5415 AU Std 05-1700-5500 05-1700-5525 05-1700-5550 05-1700-6000 05-1700-6380 05-1700-6460 05-1700-6575 05-1700-6660	1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1
2000	Wear kit	(Incl: 213,705,716,801-11)	SS impellers AL/PU wear parts 50Hz 60Hz	05-2000-5111 05-2000-6111	1 1	
2001	Hydraulic kit	(Incl: 721-2,800,812-4,819-20)	AL/PU wear parts 50Hz 60Hz	05-2001-5141 05-2001-6141	1 1	1 1
2002	Conversion kit	(Incl: 400,800-1,807)	SS impellers AL/PU wear parts HV to HH 50Hz HV to HH 60Hz HH to HV 50Hz HH to HV 60Hz	05-2001-5241 05-2001-6241 05-2002-5111 05-2002-6111 05-2002-5211 05-2002-6211		1 1 1 1
2003	Wet end kit	(Incl: 800-20)	SS impellers AL/PU wear parts 50Hz 60Hz 50Hz 60Hz	05-2003-5111 05-2003-6111 05-2003-5211 05-2003-6211	1 1	1 1
3000	Zinc anodes	Zinc SHG AS2239-2003	75mm x 30mm button	05-3000-9900	4	4
4000	Holding chain	High tensile Steel alloy G80	8mm links	05-4000-9920	1	1
4001	Hammerlock link	High tensile Steel alloy G80	8mm links 1 ton rated	05-4001-9920	1	1
5000	Seal install toolkit	(Inc: 5000.1-11)		05-5000-9960	1	1
5000.1	Seal install handle 40mm	Acetal thermoplastic	39.4mm x 177.8mm for 5-718/23 + 8-717/23	05-5000-9901	1	1
5000.2	Seal install head 40mm	Acetal thermoplastic	44mm ID for 8-717/23 stationary	05-5000-9902	1	1
5000.3	Seal install head 40mm	Acetal thermoplastic	36.1mm ID for 5-723 wear protector	05-5000-9903	1	1
5000.4	Seal install handle 65mm	Acetal thermoplastic	64.8mm x 203.2mm for 37-719/23 + 37-719/723	05-5000-9904	1	1
5000.5	Seal install head 65mm	Acetal thermoplastic	55.9mm ID for 20-719 stationary	05-5000-9905	1	1
5000.6	Seal install head 65mm	Acetal thermoplastic	58.4mm ID for 20-724 wear protector	05-5000-9906	1	1
5000.7	Seal install head 65mm	Acetal thermoplastic	58.4mm ID for 37-719 stationary	05-5000-9907	1	1
5000.8	Seal install head 65mm	Acetal thermoplastic	48.3mm ID for 20-723 + 37-723 stationary	05-5000-9908	1	1
5000.9	Upper tray	Transparent perspex		05-5000-9909	1	1
5000.10	Lower tray	Transparent perspex		05-5000-9910	1	1
5000.11	Toolkit box	Powdercoated Steel		05-5000-9911	1	1
5001	Bearing tool	Powdercoated Steel	F005-020	05-5001-9920	1	1
5002	Testing toolkit	(Incl 5002.1-15)	F005-037	05-5002-9920	1	1
5002.1	Pressure gauge	Stainless Steel, oil filled	Rear entry 250kPa	05-5002-9901	1	1
5002.2	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	M10-1.5 x 90.0mm for F005 oil chamber	05-5002-9902	1	1
5002.3	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	M16-2.0 x 90.0mm for F020 F037 oil chamber	05-5002-9903	1	1
5002.4	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	5/8"-11 BSW x 90.0mm for F008 oil chamber	05-5002-9904	1	1
5002.5	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	67mm PCD for F005 junction box	05-5002-9905	1	1
5002.6	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	100mm PCD for F008-037 junction box	05-5002-9906	1	1
5002.7	Impeller spacer	Carbon Steel AISI 1020 UNS G10200	24.2mm x 36.1mm x 36.9mm for F008 HH setting	05-5002-9907	1	1
5002.8	Impeller socket	Carbon Steel AISI 1020 UNS G10200	48.5mm x 32mm impact socket for F008 impeller nut	05-5002-9908	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
5002.9	Tube socket	Carbon Steel AISI 1020 UNS G10200	M16 x 255mm 1/2" impact	05-5002-9909	1	1
5002.10	Tube socket	Carbon Steel AISI 1020 UNS G10200	M17 x 255mm 1/2" impact	05-5002-9910	1	1
5002.11	Tube socket	Carbon Steel AISI 1020 UNS G10200	M18 x 255mm 1/2" impact	05-5002-9911	1	1
5002.12	Tube socket	Carbon Steel AISI 1020 UNS G10200	1/2" x 255mm 1/2" impact	05-5002-9912	1	1
5002.13	Upper tray	Transparent perspex		05-5002-9913	1	1
5002.14	Lower tray	Transparent perspex		05-5002-9914	1	1
5002.15	Toolkit box	Powdercoated Steel		05-5000-9911	1	1
6000	Discharge coupling	Minsup™ gvd Steel + natural rubber	050mm (2") BSPT Male end 500psi rated	05-6000-1410 AU Std	1	1
6050	Series adapter	Galvanised steel	075mm (3") BSPT Male end 500psi rated HH	05-6000-1510 AU Std 05-6050-9920	1	

MINETUFF™



-  27 Clune St,
Bayswater, WA, 6053
-  PO Box 148, Welshpool,
WA, 6986
-  +61 389 038 300
-  sales@minetuffpumps.com.au
-  www.minetuffpumpsglobal.com



MINETUFFPUMPSGLOBAL.COM

Headquartered in Perth in Australia, Minetuff Pumps take enormous pride in the design and manufacture of submersible dewatering products that meet the exacting needs of the most demanding global mining and construction markets.

Designed to be as TUFF as the name implies, Minetuff Pumps enjoy an entrenched reputation as rugged, enduring products that simply refuse to let you down. Our deployment of specifically-engineered materials, generous material thicknesses and adjustable hydraulic designs ensure that our pumps are every bit as TUFF as the environments that they work in, affording you the peace of mind to focus on your core mining business.

The secret's in the name. Built TUFF - Minetuff.



MINETUFF PUMPS are proudly and exclusively distributed in your area by: