




PARTS LIST

MTP020KW / 030HP

REV 250301 15


DRIVE END



HYDRAULIC END

HH

HV



POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
100	Handle	Electro-polished 316 Stainless Steel (Incl 101)		20-0100-9910	1	1
102	Hex screw	316 Stainless Steel A4-70 DIN933	M16-2.0 x 35.0mm	20-0102-9910	2	2
103	Washer	316 Stainless Steel 100HV DIN125A	M16 x 30.0mm x 3.0mm	20-0103-9910	2	2
104	Handle spacer	316 Stainless Steel UNS S31600	16.0mm x 19.8mm x 9.0mm	20-0104-9910	2	2
200	Upper bearing housing	42100-T6 Aluminium alloy EN1706		20-0200-9940	1	1
201	Hex screw	316 Stainless Steel A4-70 DIN933	M12-1.75 x 60.0mm shank 30.0mm	20-0201-9910	6	6
202	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	6	6
203	Junction box cover	42100-T6 Aluminium alloy EN1706		20-0203-9940	1	1
204	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 219.3mm	08-0718-4219	1	1
205	Cable washer	316 Stainless Steel UNS S31600	16.5mm x 52.0mm x 2.0mm (14-16Ø)	05-0208-1165	2	2
			18.5mm x 52.0mm x 2.0mm (16-18Ø)	05-0208-1185	2	2
			20.5mm x 52.0mm x 2.0mm (18-20Ø)	05-0208-1205	2	2
			22.5mm x 52.0mm x 2.0mm (20-22Ø)	05-0208-1225	2	2
			24.5mm x 52.0mm x 2.0mm (22-24Ø)	05-0208-1245	2	2
			26.5mm x 52.0mm x 2.0mm (24-26Ø)	05-0208-1265	2	2
			28.5mm x 52.0mm x 2.0mm (26-28Ø)	05-0208-1285	2	2
			30.5mm x 52.0mm x 2.0mm (28-30Ø)	05-0208-1305 AU Std	2	2
			32.5mm x 52.0mm x 2.0mm (30-32Ø)	05-0208-1325	2	2
			34.5mm x 52.0mm x 2.0mm (32-34Ø)	05-0208-1345	2	2
			35.3mm x 52.0mm x 2.0mm (33-35Ø)	05-0208-1355	2	2
			37.5mm x 52.0mm x 2.0mm (35-37Ø)	05-0208-1375	2	2
			39.0mm x 52.0mm x 2.0mm (37-39Ø)	05-0208-1390	2	2
			42.5mm x 52.0mm x 2.0mm (40-42Ø)	05-0208-1425	2	2
206	Cable seal	Natural rubber	14.0mm x 52.0mm x 22.0mm (12-14Ø)	05-0209-4140	1	1
			16.6mm x 52.0mm x 22.0mm (14-16Ø)	05-0209-4160	1	1
			18.0mm x 52.0mm x 22.0mm (16-18Ø)	05-0209-4180	1	1
			20.0mm x 52.0mm x 22.0mm (18-20Ø)	05-0209-4200	1	1
			22.0mm x 52.0mm x 22.0mm (20-22Ø)	05-0209-4220	1	1
			24.0mm x 52.0mm x 22.0mm (22-24Ø)	05-0209-4240	1	1
			26.0mm x 52.0mm x 22.0mm (24-26Ø)	05-0209-4260	1	1
			28.0mm x 52.0mm x 22.0mm (26-28Ø)	05-0209-4280	1	1
			30.0mm x 52.0mm x 22.0mm (28-30Ø)	05-0209-4300 AU Std	1	1
			32.0mm x 52.0mm x 22.0mm (30-32Ø)	05-0209-4320	1	1
			34.0mm x 52.0mm x 22.0mm (32-34Ø)	05-0209-4340	1	1
			35.0mm x 52.0mm x 22.0mm (33-35Ø)	05-0209-4350	1	1
			37.0mm x 52.0mm x 22.0mm (35-37Ø)	05-0209-4370	1	1
			39.0mm x 52.0mm x 22.0mm (37-39Ø)	05-0209-4390	1	1
			42.0mm x 52.0mm x 22.0mm (40-42Ø)	05-0209-4420	1	1
207	Cable entry	42100-T6 Aluminium alloy EN1706	18/35mm cable OD	05-0204-9940	1	1
208	Stud	316 Stainless Steel UNS S31600	M12-1.75 x 45.0mm saddle 15/6/24mm	05-0203-1045	2	2
209	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	2	2
210	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	2	2
211	Power cable	Type 241.1 overall screened mining	06.0mm x 3+E+P 29.2mm OD 49A<40degC>38A<50degC	05-0200-0112	15-20	15-20
			16.0mm x 3+E+P 35.6mm OD 88A<40degC>65A<50degC	05-0200-0114	15-20	15-20
		Type H07RNF unscreened submersible	4G6.0mm+2x1.5mm 18.6mm OD 46A<40degC>40A<50degC	05-0200-0332	15-20	15-20
			4G10.0mm+2x1.5mm 23.7mm OD 66A<40degC>58A<50degC	05-0200-0333	15-20	15-20
		Type G-GC3 EPR unscreened mining	AWG8x3+3E 25.14mmOD 65A	05-0200-1112	15-20	15-20
	Cable kit	Type 241.1 overall screened mining	15m x 06.0x3+E+P c/w NewMacey plug 060A 660V	05-0200-1421 AU Std	1	1
			15m x 06.0x3+E+P c/w NewMacey plug 060A 1100V	05-0200-1422 AU Std	1	1
212	Nyloc nut	316 Stainless Steel + Nylon N022 DIN985	M5-0.8	05-0207-9910	2	2
213	Cable clamp	316 Stainless Steel UNS S31600	Up to 17.8mm cable diameter	05-0206-9910	2	2
			Up to 35.0mm cable diameter	05-0206-9911	2	2
214	Cap screw	316 Stainless Steel A4-70 DIN912	M5-0.8 x 40.0mm shank 14.0mm	05-0205-9910	2	2
			M5-0.8 x 30.0mm shank 4.0mm	05-0205-9911 AU Std	2	2

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
215	Gasket	Fibre NBR bound SF5000	105.0mm x 1.6mm	20-0215-9905	1	1
216	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 25.0mm	05-0605-9910	1	1
217	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	1	1
218	Stud	304 Stainless Steel UNS30400	M12-1.75 x 50.0mm saddle 17/3/30mm	20-0218-1050	6	6
219	Drive screw	304 Stainless Steel UNS30400	4G x 1/4" u-drive	05-0214-9910	2	2
220	Data plate	316 Stainless Steel UNS S31600	48.0mm x 102.0mm x 0.9mm	05-0215-9910	1	1
221	Cable sock	Monofilament Nylon + SS Carabiner	1.6T 12x2-ply 15-20mm x 350mm + 100mm Carabiner	05-4151-9960	1	1
			2.7T 12x2-ply 21-30mm x 570mm + 130mm Carabiner	05-4152-9960	1	1
			4.85T 12x2-ply 31-40mm x 780mm + 160mm Carabiner	05-4153-9960	1	1
300	Outer casing	42100-T6 Aluminium alloy EN1706		20-0300-9940	1	1
301	Hex screw	316 Stainless Steel A4-70 DIN933	M10-1.5 x 25.0mm	20-0301-9910	6	6
302	Spring washer	316 Stainless Steel UNS S31600	M10	20-0302-9910	6	6
303	Inspection cover	42100-T6 Aluminium alloy EN1706	OIL engraved INS engraved	20-0303-9940 20-0303-9941	2 1	2 1
304	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 39.2mm	20-0304-4039	3	3
305	Stud	304 Stainless Steel UNS30400	M10-1.5 x 75.0mm saddle 13/40/22mm	20-0305-1075	12	12
306	Spring washer	316 Stainless Steel UNS S31600	M10	20-0302-9910	12	12
307	Nut	316 Stainless Steel A4-70 DIN934	M10-1.5	05-0401-9910	12	12
400	Discharge connection	Powdercoated Steel	075mm (3") BSPP Female 075mm (3") NPT Male 100mm (4") BSPP Female 100mm (4") NPT Male 150mm (6") BSPP Female 150mm (6") NPT Male	08-0400-1500 08-0400-1520 08-0400-1600 AU Std 08-0400-1620 08-0400-1700 AU Std 08-0400-1720	1 1 1 1 1 1	
401	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	4	4
402	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	4	4
403	Stud	304 Stainless Steel UNS30400	M12-1.75 x 55.0mm saddle 16/6/33mm	20-0403-1055	4	4
404	Gasket	Aramid fibre with nitrile binder NBR nitrile ASTM D2240	140.0mm x 188.0mm x 3.0mm 140.0mm x 188.0mm x 7.0mm	08-0401-9902 AU Std 08-0401-9905	1 1	1 1
500	Terminal plate	42100-T6 Aluminium alloy EN1706		20-0500-9940	1	1
501	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 25.0mm	05-0605-9910	4	4
502	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	4	4
503	Terminal block assembly	(Incl 503.1-4)	70mm TS35 DIN rail mounted	08-0502-9900	1	1
503.1	Pushfit terminal	Plastic	Up to 6mm ² cable	05-0503-9961	4	4
503.2	End bracket	Galvanised Steel	DIN rail clip	05-0503-9962	2	2
503.3	End plate	Plastic		05-0503-9963	1	1
503.4	DIN rail	316 Stainless Steel	TS35 x 70mm	08-0502-9914	1	1
503.5	Pan head screw	316 Stainless Steel A4-70 DIN7985	M5-0.8 x 10.0mm	05-0503-9915	2	2
503.6	Spring washer	316 Stainless Steel UNS S31600	M5	05-0503-9916	2	2
503.7	Diode		3A 1000V	05-0503-9907	1	1
504	Compression gland	316 Stainless Steel + natural rubber	3-hole + 2 6-hole + 2	20-0504-9912 20-0504-9913	1 1	1 1
505	Gasket	Fibre NBR bound SF5000	118.0mm x 152.0mm x 0.75mm	20-0505-9905	1	1
600	Stator housing	42100-T6 Aluminium alloy EN1706		20-0600-9940	1	1
601	O-ring	NBR Rubber copolymer N7034AA	5.3mm x 342.9mm	20-0601-4343	1	1
602	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 279.0mm	20-0602-4279	1	1
603	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	6	6
604	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	6	6
700	Stator (incl in Motor Kit)	3-lead 2-pole	1000V Y 380V D 400V D 415V D	50Hz 20-0700-5000 AU Std 50Hz 20-0700-5380 50Hz 20-0700-5400 50Hz 20-0700-5415 AU Std	1 1 1 1	1 1 1 1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
			500V D	50Hz 20-0700-5500	1	1
			525V D	50Hz 20-0700-5525	1	1
			550V D	50Hz 20-0700-5550	1	1
			1000V Y	60Hz 20-0700-6000	1	1
			380V D	60Hz 20-0700-6380	1	1
			460V D	60Hz 20-0700-6460	1	1
			575V D	60Hz 20-0700-6575	1	1
			660V D	60Hz 20-0700-6660	1	1
701	O-ring	HNBR Rubber copolymer H7000AE	5.7mm x 79.2mm	20-0701-4079	1	1
702	Bearing holder	Carbon Steel CSN12050		20-0702-9940	1	1
703	Ball bearing	Grooved single row	6208-2RS1	20-0703-9910	1	1
704	Rotor unit complete (Incl in Motor Kit)	Duplex Stainless Steel SAF2205		20-0704-9910	1	1
705	Key	316 Stainless Steel UNS S31600	7.0mm x 7.9mm x 39.8mm	20-0705-9910	1	1
706	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 279.0mm	20-0602-4279	1	1
707	Stud	304 Stainless Steel UNS30400	M12-1.75 x 120.0mm saddle 16/65/39mm	20-0707-1120	6	6
708	Lower bearing housing	42100-T6 Aluminium alloy EN1706		20-0708-9940	1	1
709	O-ring	NBR Rubber copolymer N7034AA	3.0mm x 19.2mm	08-0715-4019	3	3
710	Inspection screw	304 Stainless Steel UNS30400	M16-1.5 x 18.2mm special	20-0710-9940	3	3
711	Washer	316 Stainless Steel 100HV DIN125A	55.3mm x 67.6mm x 2.8mm	20-0711-9910	1	1
712	Ball bearing	Angular contact double row	3311A-2RS1	20-0712-9910	1	1
713	Washer	316 Stainless Steel 100HV DIN125A	55.3mm x 67.6mm x 2.8mm	20-0711-9910	1	1
714	Circlip	CK67 Carbon spring Steel	External D1400-0550 50.8mm x 2.0mm DIN471	20-0714-9910	1	1
715	O-ring	HNBR Rubber copolymer H7000AE	5.7mm x 119.3mm	20-0715-4119	1	1
716	Bearing cover	42100-T6 Aluminium alloy EN1706		20-0716-9940	1	1
717	Washer	316 Stainless Steel 100HV DIN125A	M8 x 16.0mm x 1.6mm	05-0212-9910	4	4
718	Hex screw	316 Stainless Steel A4-70 DIN933	M8-1.25 x 25.0mm	05-0605-9910	4	4
719	Inner mechanical seal	Silicon carbide rotary + stationary + viton elastomers	35.0mm	20-0719-0110	1	1
		Silicon carbide rotary + Tungsten carbide stationary + viton elastomers	35.0mm	20-0719-0210 AU Std	1	1
		Tungsten carbide rotary + stationary + viton elastomers	35.0mm	20-0719-0310	1	1
720	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 279.0mm	20-0602-4279	1	1
721	Lower oil housing	42100-T6 Aluminium alloy EN1706		20-0721-9941	1	1
722	Cap screw	316 Stainless Steel A4-70 DIN912	M10-1.5 x 25.0mm shank 10.0mm	20-0722-9910	3	3
723	Outer mechanical seal	Silicon carbide rotary + stationary + viton elastomers	35.0mm	20-0723-0110	1	1
		Silicon carbide rotary + Tungsten carbide stationary + viton elastomers	35.0mm	20-0723-0210 AU Std	1	1
		Tungsten carbide rotary + stationary + viton elastomers	35.0mm	20-0723-0310	1	1
724	Wear protector	316L Stainless Steel UNS S31603		20-0724-9910	1	1
800	Diffuser	42100-T6 Aluminium alloy EN1706 + PU		20-0800-9141	1	
				20-0800-9241		1
801	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	6	6
802	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	6	6
803	Extended nut	316 Stainless Steel UNS S31600	M12-1.75 x 50.0mm special	20-0803-9910	6	6
804	Stud	304 Stainless Steel UNS30400	M12-1.75 x 150.0mm saddle 22/28/90mm	20-0804-1150	6	6
805	Adjusting washer	316 Stainless Steel 200HV	30.5mm x 44.8mm x 0.30mm keyed	20-0805-1300	3	3
			30.5mm x 44.8mm x 1.5mm keyed	20-0805-1150	1	1
806	Impeller	17/4PH Stainless Steel alloy	229.00mm OD	50Hz 20-0806-5110 AU Std	1	
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1	229.00mm OD	50Hz 20-0806-5130	1	
		17/4PH Stainless Steel alloy	182.29mm OD	50Hz 20-0806-5210 AU Std		1
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1	182.29mm OD	50Hz 20-0806-5230		1
		17/4PH Stainless Steel alloy	201.4mm OD	60Hz 20-0806-6110	1	
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1	201.4mm OD	60Hz 20-0806-6130	1	
		17/4PH Stainless Steel alloy	155.5mm OD	60Hz 20-0806-6210		1
		Graphite cast iron EN 1563 GGG-70 DIN 1693-1	155.5mm OD	60Hz 20-0806-6230		1
807	Impeller nut	304 Stainless Steel UNS30400	M16-2.0 x 29.6mm x 10.2mm	20-0807-9910	1	1
808	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
809	Cap screw	316 Stainless Steel A4-70 DIN912	M12-1.75 x 40.0mm shank 18.0mm	20-0809-9910	1	1
810	Washer	316 Stainless Steel 100HV DIN125A	12.8mm x 50.8mm x 3.0mm	20-0810-9910	6	6
811	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	6	6
812	Spring	316 Stainless Steel UNS S31600	48.0mm x 65.5mm x 8.5mm	20-0812-9910	6	6
813	Tube	304 Stainless Steel UNS30400	12.9mm x 17.0mm x 55.54mm special	20-0813-9910	6	6
814	Sleeve	NBR 60 Duro	17.0mm x 30.0mm x 30.5mm special	20-0814-9902	6	6
815	Strainer	316 Stainless Steel UNS S31600		20-0815-9910	1	1
816	Washer	316 Stainless Steel 100HV DIN125A	M12 x 36.0mm x 3.0mm	20-0816-9910	6	6
817	Nyloc nut	316 Stainless Steel + Nylon N022 DIN985	M12-1.75	20-0817-9910	6	6
818	Stud	304 Stainless Steel UNS30400	M12-1.75 x 80.0mm saddle 15/5/60mm	20-0818-1080	3	3
819	Half nut	316 Stainless Steel A4-70 DIN934	M12-1.75 x 6.0mm	20-0819-9910	3	3
820	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 219.3mm	08-0718-4219	1	
821	Suction cover	42100-T6 Aluminium alloy EN1706 + PU		20-0821-9141	1	
				50Hz 20-0821-9241		1
				60Hz 20-0821-6241		1
				05-0103-9910	3	3
822	Washer	316 Stainless Steel 100HV DIN125A	M12 x 24.0mm x 2.5mm	05-0103-9910	3	3
823	Nut	316 Stainless Steel A4-70 DIN934	M12-1.75	05-0201-9910	3	3
824	O-ring	NBR Rubber copolymer N7034AA	5.7mm x 199.3mm	05-0719-4199		1
900	O-ring kit	(Incl: 204,215,304,404,505,601-2,701,706,709,715,720,820,824)	Max 40degC/104degF NBR Max 70degC/158degF Viton	20-0900-9902 AU Std 20-0900-9906	1 1	1 1
950	Fastener Kit			20-0950-9910	1	1
1000	Basic repair kit	(Incl: 703,712,719,723,724,900)	SIL rotary / SIL stationary / VIT elastomers SIL rotary / TUN stationary / VIT elastomers TUN rotary / TUN stationary / VIT elastomers	20-1000-0110 20-1000-0210 AU Std 20-1000-0310	1 1 1	1 1 1
1700	Motor Kit	(Incl: 700, 704)	1000V Y	50Hz 20-1700-5000 AU Std	1	1
			380V D	50Hz 20-1700-5380	1	1
			400V D	50Hz 20-1700-5400	1	1
			415V D	50Hz 20-1700-5415 AU Std	1	1
			500V D	50Hz 20-1700-5500	1	1
			525V D	50Hz 20-1700-5525	1	1
			550V D	50Hz 20-1700-5550	1	1
			1000V Y	60Hz 20-1700-6000	1	1
			380V D	60Hz 20-1700-6380	1	1
			460V D	60Hz 20-1700-6460	1	1
			575V D	60Hz 20-1700-6575	1	1
			660V D	60Hz 20-1700-6660	1	1
2000	Wear kit	(Incl: 204,705,709,805-9,818-23) (Incl: 204,705,709,805-9,818-9,821-4)	SS impellers AL/PU wear parts	50Hz 20-2000-5111 60Hz 20-2000-6111	1 1	
				50Hz 20-2000-5211 60Hz 20-2000-6211		1 1
			AL/PU wear parts	50Hz 20-2001-5141 60Hz 20-2001-6141	1 1	
				50Hz 20-2001-5241 60Hz 20-2001-6241		1 1
			SS impellers AL/PU wear parts	HV to HH 50Hz 20-2002-5111 HV to HH 60Hz 20-2002-6111	1 1	
			SS impellers AL/PU wear parts	HH to HV 50Hz 20-2002-5211 HH to HV 60Hz 20-2002-6211		1 1
			SS impellers AL/PU wear parts	50Hz 20-2003-5111 60Hz 20-2003-6111	1 1	
				50Hz 20-2003-5211 60Hz 20-2003-6211		1 1
2001	Hydraulic kit	(Incl: 305-7,721-2,800-2,810-4,816)				
2002	Conversion kit	(Incl: 400,800,806,820-1) (Incl: 400,800,806,821,824)				
2003	Wet end kit	(Incl: 800-23) (Incl: 800-19,821-4)				
3000	Zinc anodes	Zinc SHG AS2239-2003	75mm x 30mm button	05-3000-9900	4	4
4000	Holding chain	High tensile Steel alloy G80	8mm links	05-4000-9920	1	1
4001	Hammerlock link	High tensile Steel alloy G80	8mm links 1 ton rated	05-4001-9920	1	1

POSITION	DESCRIPTION	MATERIAL	DIMENSIONS	PART #	QTY	
					HH	HV
5000	Seal install toolkit	(Incl: 5000.1-11)		05-5000-9960	1	1
5000.1	Seal install handle	Acetal thermoplastic	39.4mm x 177.8mm for 5-718/23 + 8-717/23	05-5000-9901	1	1
5000.2	Seal install head	Acetal thermoplastic	44mm ID for 8-717/23 stationary	05-5000-9902	1	1
5000.3	Seal install head	Acetal thermoplastic	36.1mm ID for 5-723 wear protector	05-5000-9903	1	1
5000.4	Seal install handle	Acetal thermoplastic	64.8mm x 203.2mm for 37-719/23 + 37-719-/23	05-5000-9904	1	1
5000.5	Seal install head	Acetal thermoplastic	55.9mm ID for 20-719 stationary	05-5000-9905	1	1
5000.6	Seal install head	Acetal thermoplastic	58.4mm ID for 20-724 wear protector	05-5000-9906	1	1
5000.7	Seal install head	Acetal thermoplastic	58.4mm ID for 37-719 stationary	05-5000-9907	1	1
5000.8	Seal install head	Acetal thermoplastic	48.3mm ID for 20-723 + 37-723 stationary	05-5000-9908	1	1
5000.9	Upper tray	Transparent perspex		05-5000-9909	1	1
5000.10	Lower tray	Transparent perspex		05-5000-9910	1	1
5000.11	Toolkit box	Powdercoated Steel		05-5000-9911	1	1
5001	Bearing tool	Powdercoated Steel	F005-020	05-5001-9920	1	1
5002	Testing toolkit	(Incl 5002.1-15)	F005-037	05-5002-9920	1	1
5002.1	Pressure gauge	Stainless Steel, oil filled	Rear entry 250kPa	05-5002-9901	1	1
5002.2	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	M10-1.5 x 90.0mm for F005 oil chamber	05-5002-9902	1	1
5002.3	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	M16-2.0 x 90.0mm for F020 F037 oil chamber	05-5002-9903	1	1
5002.4	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	5/8"-11 BSW x 90.0mm for F008 oil chamber	05-5002-9904	1	1
5002.5	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	67mm PCD for F005 junction box	05-5002-9905	1	1
5002.6	Pneumatic fitting	Carbon Steel AISI 1020 UNS G10200	100mm PCD for F008-037 junction box	05-5002-9906	1	1
5002.7	Impeller spacer	Carbon Steel AISI 1020 UNS G10200	24.2mm x 36.1mm x 36.9mm for F008 HH setting	05-5002-9907	1	1
5002.8	Impeller socket	Carbon Steel AISI 1020 UNS G10200	48.5mm x 32mm impact socket for F008 impeller nut	05-5002-9908	1	1
5002.9	Tube socket	Carbon Steel AISI 1020 UNS G10200	M16 x 255mm 1/2" impact	05-5002-9909	1	1
5002.10	Tube socket	Carbon Steel AISI 1020 UNS G10200	M17 x 255mm 1/2" impact	05-5002-9910	1	1
5002.11	Tube socket	Carbon Steel AISI 1020 UNS G102V00	M18 x 255mm 1/2" impact	05-5002-9911	1	1
5002.12	Tube socket	Carbon Steel AISI 1020 UNS G10200	1/2" x 255mm 1/2" impact	05-5002-9912	1	1
5002.13	Upper tray	Transparent perspex		05-5002-9913	1	1
5002.14	Lower tray	Transparent perspex		05-5002-9914	1	1
5002.15	Toolkit box	Powdercoated Steel		05-5000-9911		
5004	Tool Diffuser puller	Mild Steel		20-5004-9920	1	1
6001	Discharge coupling	Minsup™ gvd Steel + natural rubber	075mm (3") BSPT Male end 500psi rated	05-6000-1510 AU Std	1	1
6050	Series adapter	Galvanised steel	HH	20-6050-9920	1	

MINETUFF™



-  27 Clune St,
Bayswater, WA, 6053
-  PO Box 148, Welshpool,
WA, 6986
-  +61 389 038 300
-  sales@minetuffpumps.com.au
-  www.minetuffpumpsglobal.com



MINETUFFPUMPSGLOBAL.COM

Headquartered in Perth in Australia, Minetuff Pumps take enormous pride in the design and manufacture of submersible dewatering products that meet the exacting needs of the most demanding global mining and construction markets.

Designed to be as TUFF as the name implies, Minetuff Pumps enjoy an entrenched reputation as rugged, enduring products that simply refuse to let you down. Our deployment of specifically-engineered materials, generous material thicknesses and adjustable hydraulic designs ensure that our pumps are every bit as TUFF as the environments that they work in, affording you the peace of mind to focus on your core mining business.

The secret's in the name. Built TUFF - Minetuff.



MINETUFF PUMPS are proudly and exclusively distributed in your area by: